




TRIPLE FUNCTION

HBmicrotec[®]
ACTIONTOOLS & ENGINEERING



ACTIONMILL[®]
by HB microtec
TRIPLE FUNCTION



TRIPLE-FUNCTION Z4 Multifunctional milling tool

Standardized HB microtec technologies

With the ACTIONMILL TRIPLE-FUNCTION, we combine our three standard geometries into a single tool:



5 PRO's of the ACTIONMILL:

- Shorter processing times
- Greater process reliability
- Increased machine capacity
- Improved quality
- Perfect price-performance ratio

TRIPLE-FUNCTION Z6 Multifunctional milling tool with chip breaker


Standardized HB microtec technologies

With the ACTIONMILL TRIPLE-FUNCTION, we combine our three standard geometries into a single tool:




5 PRO's of the ACTIONMILL:


- Triple milling function
- High-performance geometries
- Universally applicable
- High-quality and precise surfaces
- Cost savings



ROUGHING




FINISHING




CHAMFER


ROUGHING






FINISHING



CHAMFER



TRIPLE-FUNCTION Z4
Multifunctional milling tool



☐ Order

Order number: _____

☐ Inquiry

Dimensions:

D₁: _____ GL: _____ α: _____

D₂: _____ L₁: _____ EF: _____

D₃: _____ L₂: _____

L₃: _____

Coating:

☐ Coated*: _____

☐ Uncoated

Cooling channels:

☐ Yes ☐ No

Cutting direction:

☐ Left ☐ Right

Material to be machined:

Shank shape:

Quantity:

Date, signature & company stamp:

Contact person:

* Without further information, the most suitable coating will be used.

TRIPLE-FUNCTION Z6
Multifunctional milling tool

Front-Chamfer
Chamfer L1



Finish L2
Finishing

Also available with IK

Trochoid L3 with
chip breaker
Roughing

HB-Shank available

From Ø 3 up to Ø 16



☐ Order

Order number: _____

☐ Inquiry

Dimensions:

D₁: _____ GL: _____ α: _____

D₂: _____ L₁: _____ EF: _____

D₃: _____ L₂: _____

L₃: _____

Coating:

☐ Coated*: _____

☐ Uncoated

Cooling channels:

☐ Yes ☐ No

Cutting direction:

☐ Left ☐ Right

Material to be machined:

Shank shape:

Quantity:

Date, signature & company stamp:

Contact person:

* Without further information, the most suitable coating will be used.

ACTIONMILL®

by HB microtec

TRIPLE FUNCTION



HB microtec®
ACTIONTOOLS & ENGINEERING

HB microtec GmbH & Co. KG

Bischof-Sproll-Straße 6

78532 Tuttlingen

Germany

Tel. +49 7461 1657280

Fax +49 7461 1657281

Email kontakt@hb-microtec.de

Web www.HB-microtec.de

