



FINISH XL & XXL

HBmicrotec[®]
ACTIONTOOLS & ENGINEERING





ACTIONMILL[®]
by HB microtec
FinishXL



INOX-FinishXL

Alu-FinishXL




☐ Order Order number: _____ ☐ Inquiry

Dimensions: D ₁ : _____ GL: _____ EF: _____ D ₂ : _____ L ₁ : _____ Z: _____ D ₃ : _____ L ₂ : _____	Coating: ☐ Coated*: _____ ☐ Uncoated	Cooling channels: ☐ Yes ☐ No Cutting direction: ☐ Left ☐ Right
Material to be machined: _____	Shank shape: _____	Quantity: _____
Date, signature & company stamp: _____		Contact person: _____

* Without further information, the most suitable coating will be used.

4xD INOX-FinishXL



5 PRO's of the ACTIONMILL:

- Protected and sharp mill corner
- High-performance finishing mill from Ø4 to Ø16 with Z6
- Finishing of demanding materials such as CoCr or INOX
- High-quality and precise surfaces
- Long tool life and process reliability



Article number	D1 (mm)	D1 (inch)	D2 (mm)	D3 h6 (mm)	L1 (mm)	L2 (mm)	EF (mm) sharp	GL (mm)	HB-Shank
AM.FINISH.03.12.03.XL.01	Ø3.000	-	-	Ø3.00	12.00	-	0.03	50.00	-
AM.FINISH.03968.16.06.XL.01	Ø 3.968	Ø 5/32"	Ø 3.80	Ø 6.00	16.00	20.00	0.03	83.00	.HB
AM.FINISH.04.16.06.XL.01	Ø 4.000	-	Ø 3.80	Ø 6.00	16.00	20.00	0.03	83.00	.HB
AM.FINISH.04762.20.06.XL.01	Ø 4.762	Ø 3/16"	Ø 4.50	Ø 6.00	20.00	25.00	0.03	83.00	.HB
AM.FINISH.05.20.06.XL.01	Ø 5.000	-	Ø 4.80	Ø 6.00	20.00	25.00	0.03	83.00	.HB
AM.FINISH.05556.23.06.XL.01	Ø 5.556	Ø 7/32"	Ø 5.20	Ø 6.00	23.00	25.00	0.03	83.00	.HB
AM.FINISH.06.24.06.XL.01	Ø 6.000	-	Ø 5.70	Ø 6.00	24.00	28.00	0.03	83.00	.HB
AM.FINISH.0635.26.08.XL.01	Ø 6.350	Ø 1/4"	Ø 6.00	Ø 8.00	26.00	28.00	0.03	80.00	.HB
AM.FINISH.07144.30.08.XL.01	Ø 7.144	Ø 9/32"	Ø 6.90	Ø 8.00	30.00	34.00	0.03	80.00	.HB
AM.FINISH.07938.32.08.XL.01	Ø 7.938	Ø 5/16"	Ø 7.80	Ø 8.00	32.00	36.00	0.03	80.00	.HB
AM.FINISH.08.32.08.XL.01	Ø 8.000	-	Ø 7.80	Ø 8.00	32.00	36.00	0.05	80.00	.HB
AM.FINISH.09525.40.10.XL.01	Ø 9.525	Ø 3/8"	Ø 9.20	Ø 10.00	40.00	44.00	0.05	100.00	.HB
AM.FINISH.10.40.10.XL.01	Ø 10.000	-	Ø 9.70	Ø 10.00	40.00	44.00	0.05	100.00	.HB
AM.FINISH.111125.45.12.XL.01	Ø 11.1125	Ø 7/16"	Ø 10.80	Ø 12.00	45.00	50.00	0.05	101.00	.HB
AM.FINISH.12.48.12.XL.01	Ø 12.000	-	Ø 11.70	Ø 12.00	48.00	52.00	0.05	101.00	.HB
AM.FINISH.12700.51.14.XL.01	Ø 12.700	Ø 1/2"	Ø 12.40	Ø 14.00	51.00	55.00	0.10	120.00	.HB
AM.FINISH.14.56.14.XL.01	Ø 14.000	-	Ø 13.70	Ø 14.00	56.00	60.00	0.10	120.00	.HB
AM.FINISH.142875.58.16.XL.01	Ø 14.2875	Ø 9/16"	Ø 13.90	Ø 16.00	58.00	62.00	0.10	120.00	.HB
AM.FINISH.15875.64.16.XL.01	Ø 15.875	Ø 5/8"	Ø 15.50	Ø 16.00	64.00	68.00	0.10	120.00	.HB
AM.FINISH.16.64.16.XL.01	Ø 16.000	-	Ø 15.70	Ø 16.00	64.00	68.00	0.10	120.00	.HB

■ For a mill with HB shank, add ".HB" to the article number, e.g. **AM.FINISH.04.16.06.XL.01.HB**

Available from stock



5xD INOX-FinishXXL



■ α-INOX coated



5 PRO's of the ACTIONMILL:

- Protected and sharp mill corner
- High-performance finishing mill from Ø4 to Ø16 with Z6
- Finishing of demanding materials such as CoCr or INOX
- High-quality and precise surfaces
- Long tool life and process reliability


Article number	D1 (mm)	D1 (inch)	D2 (mm)	D3 h6 (mm)	L1 (mm)	L2 (mm)	EF (mm) sharp	GL (mm)	HB-Shank
AM.FINISH.03.15.03.XXL.01	Ø3.000	-	-	Ø3.00	15.00	-	0.03	50.00	-
AM.FINISH.03968.20.06.XXL.01	Ø 3.968	Ø 5/32"	Ø 3.80	Ø 6.00	20.00	24.00	0.03	83.00	.HB
AM.FINISH.04.20.06.XXL.01	Ø 4.000	-	Ø 3.80	Ø 6.00	20.00	24.00	0.03	83.00	.HB
AM.FINISH.04762.25.06.XXL.01	Ø 4.762	Ø 3/16"	Ø 4.50	Ø 6.00	25.00	29.00	0.03	83.00	.HB
AM.FINISH.05.25.06.XXL.01	Ø 5.000	-	Ø 4.80	Ø 6.00	25.00	29.00	0.03	83.00	.HB
AM.FINISH.05556.30.06.XXL.01	Ø 5.556	Ø 7/32"	Ø 5.20	Ø 6.00	30.00	34.00	0.03	83.00	.HB
AM.FINISH.06.30.06.XXL.01	Ø 6.000	-	Ø 5.70	Ø 6.00	30.00	34.00	0.03	83.00	.HB
AM.FINISH.0635.32.08.XXL.01	Ø 6.350	Ø 1/4"	Ø 6.00	Ø 8.00	32.00	36.00	0.03	83.00	.HB
AM.FINISH.07144.36.08.XXL.01	Ø 7.144	Ø 9/32"	Ø 6.90	Ø 8.00	36.00	40.00	0.03	83.00	.HB
AM.FINISH.07938.40.08.XXL.01	Ø 7.938	Ø 5/16"	Ø 7.80	Ø 8.00	40.00	44.00	0.03	83.00	.HB
AM.FINISH.08.40.08.XXL.01	Ø 8.000	-	Ø 7.80	Ø 8.00	40.00	44.00	0.05	83.00	.HB
AM.FINISH.09525.48.10.XXL.01	Ø 9.525	Ø 3/8"	Ø 9.20	Ø 10.00	48.00	52.00	0.05	101.00	.HB
AM.FINISH.10.50.10.XXL.01	Ø 10.000	-	Ø 9.70	Ø 10.00	50.00	54.00	0.05	101.00	.HB
AM.FINISH.111125.56.12.XXL.01	Ø 11.1125	Ø 7/16"	Ø 10.80	Ø 12.00	56.00	60.00	0.05	110.00	.HB
AM.FINISH.12.60.12.XXL.01	Ø 12.000	-	Ø 11.70	Ø 12.00	60.00	64.00	0.05	110.00	.HB
AM.FINISH.12700.64.14.XXL.01	Ø 12.700	Ø 1/2"	Ø 12.40	Ø 14.00	64.00	68.00	0.10	120.00	.HB
AM.FINISH.14.70.14.XXL.01	Ø 14.000	-	Ø 13.70	Ø 14.00	70.00	74.00	0.10	120.00	.HB
AM.FINISH.142875.72.16.XXL.01	Ø 14.2875	Ø 9/16"	Ø 13.90	Ø 16.00	72.00	76.00	0.10	130.00	.HB
AM.FINISH.15875.80.16.XXL.01	Ø 15.875	Ø 5/8"	Ø 15.50	Ø 16.00	80.00	84.00	0.10	130.00	.HB
AM.FINISH.16.80.16.XXL.01	Ø 16.000	-	Ø 15.70	Ø 16.00	80.00	84.00	0.10	130.00	.HB

■ For a mill with HB shank, add ".HB" to the article number, e.g. AM.FINISH.04.20.06.XXL.01.HB

Available from stock



4xD Alu-FinishXL




5 PRO's of the ACTIONMILL:

- Protected and sharp mill corner
- High-performance finishing mill from Ø4 to Ø16 with Z6
- Finishing of demanding materials such as pure titanium and Aluminum alloys
- High-quality and precise surfaces
- Long tool life and process reliability



Article number	D1 (mm)	D1 (inch)	D2 (mm)	D3 h6 (mm)	L1 (mm)	L2 (mm)	EF (mm) sharp	GL (mm)	HB-Shank
AM.FINISH.03.12.03.XL.02	Ø3.000	-	-	Ø3.00	12.00	-	0.03	50.00	-
AM.FINISH.03968.16.06.XL.02	Ø 3.968	Ø 5/32"	Ø 3.80	Ø 6.00	16.00	20.00	0.03	83.00	.HB
AM.FINISH.04.16.06.XL.02	Ø 4.000	-	Ø 3.80	Ø 6.00	16.00	20.00	0.03	83.00	.HB
AM.FINISH.04762.20.06.XL.02	Ø 4.762	Ø 3/16"	Ø 4.50	Ø 6.00	20.00	25.00	0.03	83.00	.HB
AM.FINISH.05.20.06.XL.02	Ø 5.000	-	Ø 4.80	Ø 6.00	20.00	25.00	0.03	83.00	.HB
AM.FINISH.05556.23.06.XL.02	Ø 5.556	Ø 7/32"	Ø 5.20	Ø 6.00	23.00	25.00	0.03	83.00	.HB
AM.FINISH.06.24.06.XL.02	Ø 6.000	-	Ø 5.70	Ø 6.00	24.00	28.00	0.03	83.00	.HB
AM.FINISH.0635.26.08.XL.02	Ø 6.350	Ø 1/4"	Ø 6.00	Ø 8.00	26.00	28.00	0.03	80.00	.HB
AM.FINISH.07144.30.08.XL.02	Ø 7.144	Ø 9/32"	Ø 6.90	Ø 8.00	30.00	34.00	0.03	80.00	.HB
AM.FINISH.07938.32.08.XL.02	Ø 7.938	Ø 5/16"	Ø 7.80	Ø 8.00	32.00	36.00	0.03	80.00	.HB
AM.FINISH.08.32.08.XL.02	Ø 8.000	-	Ø 7.80	Ø 8.00	32.00	36.00	0.05	80.00	.HB
AM.FINISH.09525.40.10.XL.02	Ø 9.525	Ø 3/8"	Ø 9.20	Ø 10.00	40.00	44.00	0.05	100.00	.HB
AM.FINISH.10.40.10.XL.02	Ø 10.000	-	Ø 9.70	Ø 10.00	40.00	44.00	0.05	100.00	.HB
AM.FINISH.111125.45.12.XL.02	Ø 11.1125	Ø 7/16"	Ø 10.80	Ø 12.00	45.00	50.00	0.05	101.00	.HB
AM.FINISH.12.48.12.XL.02	Ø 12.000	-	Ø 11.70	Ø 12.00	48.00	52.00	0.05	101.00	.HB
AM.FINISH.12700.51.14.XL.02	Ø 12.700	Ø 1/2"	Ø 12.40	Ø 14.00	51.00	55.00	0.10	120.00	.HB
AM.FINISH.14.56.14.XL.02	Ø 14.000	-	Ø 13.70	Ø 14.00	56.00	60.00	0.10	120.00	.HB
AM.FINISH.142875.58.16.XL.02	Ø 14.2875	Ø 9/16"	Ø 13.90	Ø 16.00	58.00	62.00	0.10	120.00	.HB
AM.FINISH.15875.64.16.XL.02	Ø 15.875	Ø 5/8"	Ø 15.50	Ø 16.00	64.00	68.00	0.10	120.00	.HB
AM.FINISH.16.64.16.XL.02	Ø 16.000	-	Ø 15.70	Ø 16.00	64.00	68.00	0.10	120.00	.HB

■ For a mill with HB shank, add ".HB" to the article number, e.g. AM.FINISH.04.16.06.XL.02.HB

Available from stock



5xD Alu-FinishXXL



■ β-TITAN coated



5 PRO's of the ACTIONMILL:

- Protected and sharp mill corner
- High-performance finishing mill from Ø4 to Ø16 with Z6
- Finishing of demanding materials such as pure titanium and Aluminum alloys
- High-quality and precise surfaces
- Long tool life and process reliability



Article number	D1 (mm)	D1 (inch)	D2 (mm)	D3 h6 (mm)	L1 (mm)	L2 (mm)	EF (mm) sharp	GL (mm)	HB-Shank
AM.FINISH.03.15.03.XXL.02	Ø3.000	-	-	Ø3.00	15.00	-	0.03	50.00	-
AM.FINISH.03968.20.06.XXL.02	Ø 3.968	Ø 5/32"	Ø 3.80	Ø 6.00	20.00	24.00	0.03	83.00	.HB
AM.FINISH.04.20.06.XXL.02	Ø 4.000	-	Ø 3.80	Ø 6.00	20.00	24.00	0.03	83.00	.HB
AM.FINISH.04762.25.06.XXL.02	Ø 4.762	Ø 3/16"	Ø 4.50	Ø 6.00	25.00	29.00	0.03	83.00	.HB
AM.FINISH.05.25.06.XXL.02	Ø 5.000	-	Ø 4.80	Ø 6.00	25.00	29.00	0.03	83.00	.HB
AM.FINISH.05556.30.06.XXL.02	Ø 5.556	Ø 7/32"	Ø 5.20	Ø 6.00	30.00	34.00	0.03	83.00	.HB
AM.FINISH.06.30.06.XXL.02	Ø 6.000	-	Ø 5.70	Ø 6.00	30.00	34.00	0.03	83.00	.HB
AM.FINISH.0635.32.08.XXL.02	Ø 6.350	Ø 1/4"	Ø 6.00	Ø 8.00	32.00	36.00	0.03	83.00	.HB
AM.FINISH.07144.36.08.XXL.02	Ø 7.144	Ø 9/32"	Ø 6.90	Ø 8.00	36.00	40.00	0.03	83.00	.HB
AM.FINISH.07938.40.08.XXL.02	Ø 7.938	Ø 5/16"	Ø 7.80	Ø 8.00	40.00	44.00	0.03	83.00	.HB
AM.FINISH.08.40.08.XXL.02	Ø 8.000	-	Ø 7.80	Ø 8.00	40.00	44.00	0.05	83.00	.HB
AM.FINISH.09525.48.10.XXL.02	Ø 9.525	Ø 3/8"	Ø 9.20	Ø 10.00	48.00	52.00	0.05	101.00	.HB
AM.FINISH.10.50.10.XXL.02	Ø 10.000	-	Ø 9.70	Ø 10.00	50.00	54.00	0.05	101.00	.HB
AM.FINISH.111125.56.12.XXL.02	Ø 11.1125	Ø 7/16"	Ø 10.80	Ø 12.00	56.00	60.00	0.05	110.00	.HB
AM.FINISH.12.60.12.XXL.02	Ø 12.000	-	Ø 11.70	Ø 12.00	60.00	64.00	0.05	110.00	.HB
AM.FINISH.12700.64.14.XXL.02	Ø 12.700	Ø 1/2"	Ø 12.40	Ø 14.00	64.00	68.00	0.10	120.00	.HB
AM.FINISH.14.70.14.XXL.02	Ø 14.000	-	Ø 13.70	Ø 14.00	70.00	74.00	0.10	120.00	.HB
AM.FINISH.142875.72.16.XXL.02	Ø 14.2875	Ø 9/16"	Ø 13.90	Ø 16.00	72.00	76.00	0.10	130.00	.HB
AM.FINISH.15875.80.16.XXL.02	Ø 15.875	Ø 5/8"	Ø 15.50	Ø 16.00	80.00	84.00	0.10	130.00	.HB
AM.FINISH.16.80.16.XXL.02	Ø 16.000	-	Ø 15.70	Ø 16.00	80.00	84.00	0.10	130.00	.HB

■ For a mill with HB shank, add ".HB" to the article number, e.g. AM.FINISH.04.16.06.XXL.02.HB

Available from stock



4xD Steel-FinishXL



■ γ-Steel coated



5 PRO's of the ACTIONMILL:

- Protected and sharp mill corner
- High-performance finishing mill from Ø4 to Ø16 with Z6
- Finishing of demanding materials such as high-alloy
Cr steels
- High-quality and precise surfaces
- Long tool life and process reliability



Article number	D1 (mm)	D1 (inch)	D2 (mm)	D3 h6 (mm)	L1 (mm)	L2 (mm)	EF (mm) sharp	GL (mm)	HB-Shank
AM.FINISH.03.12.03.XL.03	Ø3.000	-	-	Ø3.00	12.00	-	0.03	50.00	-
AM.FINISH.03968.16.06.XL.03	Ø 3.968	Ø 5/32"	Ø 3.80	Ø 6.00	16.00	20.00	0.03	83.00	.HB
AM.FINISH.04.16.06.XL.03	Ø 4.000	-	Ø 3.80	Ø 6.00	16.00	20.00	0.03	83.00	.HB
AM.FINISH.04762.20.06.XL.03	Ø 4.762	Ø 3/16"	Ø 4.50	Ø 6.00	20.00	25.00	0.03	83.00	.HB
AM.FINISH.05.20.06.XL.03	Ø 5.000	-	Ø 4.80	Ø 6.00	20.00	25.00	0.03	83.00	.HB
AM.FINISH.05556.23.06.XL.03	Ø 5.556	Ø 7/32"	Ø 5.20	Ø 6.00	23.00	25.00	0.03	83.00	.HB
AM.FINISH.06.24.06.XL.03	Ø 6.000	-	Ø 5.70	Ø 6.00	24.00	28.00	0.03	83.00	.HB
AM.FINISH.0635.26.08.XL.03	Ø 6.350	Ø 1/4"	Ø 6.00	Ø 8.00	26.00	28.00	0.03	80.00	.HB
AM.FINISH.07144.30.08.XL.03	Ø 7.144	Ø 9/32"	Ø 6.90	Ø 8.00	30.00	34.00	0.03	80.00	.HB
AM.FINISH.07938.32.08.XL.03	Ø 7.938	Ø 5/16"	Ø 7.80	Ø 8.00	32.00	36.00	0.03	80.00	.HB
AM.FINISH.08.32.08.XL.03	Ø 8.000	-	Ø 7.80	Ø 8.00	32.00	36.00	0.05	80.00	.HB
AM.FINISH.09525.40.10.XL.03	Ø 9.525	Ø 3/8"	Ø 9.20	Ø 10.00	40.00	44.00	0.05	100.00	.HB
AM.FINISH.10.40.10.XL.03	Ø 10.000	-	Ø 9.70	Ø 10.00	40.00	44.00	0.05	100.00	.HB
AM.FINISH.111125.45.12.XL.03	Ø 11.1125	Ø 7/16"	Ø 10.80	Ø 12.00	45.00	50.00	0.05	101.00	.HB
AM.FINISH.12.48.12.XL.03	Ø 12.000	-	Ø 11.70	Ø 12.00	48.00	52.00	0.05	101.00	.HB
AM.FINISH.12700.51.14.XL.03	Ø 12.700	Ø 1/2"	Ø 12.40	Ø 14.00	51.00	55.00	0.10	120.00	.HB
AM.FINISH.14.56.14.XL.03	Ø 14.000	-	Ø 13.70	Ø 14.00	56.00	60.00	0.10	120.00	.HB
AM.FINISH.142875.58.16.XL.03	Ø 14.2875	Ø 9/16"	Ø 13.90	Ø 16.00	58.00	62.00	0.10	120.00	.HB
AM.FINISH.15875.64.16.XL.03	Ø 15.875	Ø 5/8"	Ø 15.50	Ø 16.00	64.00	68.00	0.10	120.00	.HB
AM.FINISH.16.64.16.XL.03	Ø 16.000	-	Ø 15.70	Ø 16.00	64.00	68.00	0.10	120.00	.HB

■ For a mill with HB shank, add ".HB" to the article number, e.g. AM.FINISH.04.16.06.XL.03.HB

Available from stock



5xD Steel-FinishXXL



■ γ-Steel coated



5 PRO's of the ACTIONMILL:


- Protected and sharp mill corner
- High-performance finishing mill from Ø4 to Ø16 with Z6
- Finishing of demanding materials such as high-alloy
Cr steels
- High-quality and precise surfaces
- Long tool life and process reliability

Article number	D1 (mm)	D1 (inch)	D2 (mm)	D3 h6 (mm)	L1 (mm)	L2 (mm)	EF (mm) sharp	GL (mm)	HB-Shank
AM.FINISH.03.15.03.XXL.03	Ø3.000	-	-	Ø3.00	15.00	-	0.03	50.00	-
AM.FINISH.03968.20.06.XXL.03	Ø 3.968	Ø 5/32"	Ø 3.80	Ø 6.00	20.00	24.00	0.03	83.00	.HB
AM.FINISH.04.20.06.XXL.03	Ø 4.000	-	Ø 3.80	Ø 6.00	20.00	24.00	0.03	83.00	.HB
AM.FINISH.04762.25.06.XXL.03	Ø 4.762	Ø 3/16"	Ø 4.50	Ø 6.00	25.00	29.00	0.03	83.00	.HB
AM.FINISH.05.25.06.XXL.03	Ø 5.000	-	Ø 4.80	Ø 6.00	25.00	29.00	0.03	83.00	.HB
AM.FINISH.05556.30.06.XXL.03	Ø 5.556	Ø 7/32"	Ø 5.20	Ø 6.00	30.00	34.00	0.03	83.00	.HB
AM.FINISH.06.30.06.XXL.03	Ø 6.000	-	Ø 5.70	Ø 6.00	30.00	34.00	0.03	83.00	.HB
AM.FINISH.0635.32.08.XXL.03	Ø 6.350	Ø 1/4"	Ø 6.00	Ø 8.00	32.00	36.00	0.03	83.00	.HB
AM.FINISH.07144.36.08.XXL.03	Ø 7.144	Ø 9/32"	Ø 6.90	Ø 8.00	36.00	40.00	0.03	83.00	.HB
AM.FINISH.07938.40.08.XXL.03	Ø 7.938	Ø 5/16"	Ø 7.80	Ø 8.00	40.00	44.00	0.03	83.00	.HB
AM.FINISH.08.40.08.XXL.03	Ø 8.000	-	Ø 7.80	Ø 8.00	40.00	44.00	0.05	83.00	.HB
AM.FINISH.09525.48.10.XXL.03	Ø 9.525	Ø 3/8"	Ø 9.20	Ø 10.00	48.00	52.00	0.05	101.00	.HB
AM.FINISH.10.50.10.XXL.03	Ø 10.000	-	Ø 9.70	Ø 10.00	50.00	54.00	0.05	101.00	.HB
AM.FINISH.111125.56.12.XXL.03	Ø 11.1125	Ø 7/16"	Ø 10.80	Ø 12.00	56.00	60.00	0.05	110.00	.HB
AM.FINISH.12.60.12.XXL.03	Ø 12.000	-	Ø 11.70	Ø 12.00	60.00	64.00	0.05	110.00	.HB
AM.FINISH.12700.64.14.XXL.03	Ø 12.700	Ø 1/2"	Ø 12.40	Ø 14.00	64.00	68.00	0.10	120.00	.HB
AM.FINISH.14.70.14.XXL.03	Ø 14.000	-	Ø 13.70	Ø 14.00	70.00	74.00	0.10	120.00	.HB
AM.FINISH.142875.72.16.XXL.03	Ø 14.2875	Ø 9/16"	Ø 13.90	Ø 16.00	72.00	76.00	0.10	130.00	.HB
AM.FINISH.15875.80.16.XXL.03	Ø 15.875	Ø 5/8"	Ø 15.50	Ø 16.00	80.00	84.00	0.10	130.00	.HB
AM.FINISH.16.80.16.XXL.03	Ø 16.000	-	Ø 15.70	Ø 16.00	80.00	84.00	0.10	130.00	.HB

■ For a mill with HB shank, add ".HB" to the article number, e.g. AM.FINISH.04.20.06.XXL.03.HB

Available from stock





Material group	Material group	Mat. no.	DIN	AISI/ASTM/UNS
P	Steels up to RM < 1200N/mm²	1.0044	S275JR	AISI 1020
		1.0715	11SMn30	AISI 1215
		1.7131	16MnCr5	AISI 5115
		1.3505	100Cr6	AISI 52100
		1.7225	42CrMo4	AISI 4140
M	Stainless steels: ferritic, martensitic, austenitic	1.4034	X46Cr13	AISI 420C
		1.4542	X5CrNiCuNb 16-4	AISI 630 / ASTM 17-4 PH
		1.4545	X5CrNiCuNb 15-5	ASTM 15-5 PH
		1.4301	X5CrNi 18-10	AISI 304
		1.4435	X2CrNiMo 18-14-3	AISI 316L
K	Cast iron	0.6020	GG20	ASTM 30
		0.6030	GG30	ASTM 40B
		0.7040	GGG40	ASTM 60-40-18
		0.7060	GGG60	ASTM 80-60-03
N	Non-ferrous metals	3.2315	AlMgSi1	ASTM 6351
		2.0065	Cu-ETP / CW004A	UNS C11000
		2.0321	CuZn37 CW508L	UNS C27400
		2.0401	CuZn39Pb3 / CW614N	UNS C38500
		2.0966	CuAl10Ni5Fe4	UNS C63000
S (S1, S2, S3)	Heat-resistant steels, titanium, CrCo	2.4617	NiMo28	Hastelloy B-2
		2.4665	NiCr22Fe18Mo	Hastelloy X
		3.7165	TiAl6V4	ASTM B348 / F136
		9.9367	TiAl6Nb7	ASTM F1295
		2.4964	CoCr20W15Ni	Haynes 25
			CrCoMo28	ASTM F1537
H	Hardened steels ≥ 55 HRC	1.2510	100MnCrMoW4	AISI O1
		1.2379	X153CrMoV12	AISI D2

Recommended use Highly suitable Partially suitable Not recommended

ap=L1	ae=0.05xD1	ap=L1	ae=0.05xD1	ap=L1	ae=0.05xD1	ap=L1	ae=0.05xD1	ap=L1	ae=0.05xD1
from Ø 3.0 mm		from Ø 6.0 mm		from Ø 8.0 mm		from Ø 10 mm		from Ø 12 mm - Ø 16 mm	
vc [m/min]	fz [mm]	vc [m/min]	fz [mm]	vc [m/min]	fz [mm]	vc [m/min]	vc [m/min]	vc [m/min]	fz [mm]
100-200	0.02 - 0.035	100-200	0.03 - 0.045	100-200	0.05 - 0.065	100-200	0.06 - 0.075	100-200	0.07 - 0.085
100-200	0.02 - 0.03	100-200	0.03 - 0.04	100-200	0.05 - 0.055	100-200	0.06 - 0.065	100-200	0.07 - 0.075
80-150	0.02 - 0.03	80-150	0.035 - 0.045	80-150	0.045 - 0.055	80-160	0.055 - 0.065	80-160	0.065 - 0.075
70-120	0.015 - 0.025	70-120	0.035 - 0.045	70-120	0.045 - 0.055	70-120	0.055 - 0.065	70-120	0.065 - 0.075
80-250	0.02 - 0.04	80-250	0.04 - 0.055	80-250	0.05 - 0.065	80-250	0.06 - 0.065	80-250	0.065 - 0.085
80-160	0.02 - 0.04	80-160	0.035 - 0.06	80-160	0.055 - 0.06	80-160	0.055 - 0.06	80-160	0.065 - 0.075
100-200	0.02 - 0.045	100-200	0.035 - 0.06	100-200	0.055 - 0.06	100-200	0.055 - 0.06	100-200	0.065 - 0.08
80-160	0.02 - 0.045	80-160	0.035 - 0.06	80-160	0.055 - 0.06	80-160	0.055 - 0.06	80-160	0.065 - 0.085
50-140	0.02 - 0.03	50-140	0.03 - 0.04	50-140	0.03 - 0.05	50-140	0.04 - 0.06	50-140	0.05 - 0.07
40-140	0.02 - 0.03	40-140	0.03 - 0.04	40-140	0.03 - 0.05	40-140	0.04 - 0.06	40-140	0.05 - 0.07
25-100	0.02 - 0.03	25-60	0.03 - 0.04	25-60	0.03 - 0.05	25-60	0.04 - 0.06	25-60	0.05 - 0.07
no data available									
no data available									

ACTIONMILL®

by HB microtec

FinishXL



HB microtec®
ACTIONTOOLS & ENGINEERING

HB microtec GmbH & Co. KG

Bischof-Sproll-Straße 6

78532 Tuttlingen

Germany

Tel. +49 7461 1657280

Fax +49 7461 1657281

Email kontakt@hb-microtec.de

Web www.HB-microtec.de

